## Am ndm nts to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1-35. (Cancelled)
- 36. (Currently Amended) A process comprising:

providing a superabsorbent material that is capable of absorbing at least about 20 grams of an aqueous solution per gram of said superabsorbent material;

forming a paper web from a cellulosic fibrous material and said superabsorbent material, wherein said superabsorbent material comprises from about 0.1% to about [[5]] 3% by weight of said paper web;

at least partially drying said paper web; and

incorporating said paper web into a tissue product, wherein the tissue product is formed primarily from said paper web and optionally one or more additional paper webs, the tissue product having a basis weight less than about 100 grams per square meter.

- 37. (Previously Presented) A process as defined in claim 36, wherein said superabsorbent material is provided in a dry state.
- 38. (Previously Presented) A process as defined in claim 36, further comprising preswelling said superabsorbent material to at least about 30% of its total swelling capacity.
- 39. (Previously Presented) A process as defined in claim 38, wherein said superabsorbent material is preswollen to at least about 50% of its total swelling capacity.
- 40. (Previously Presented) A process as defined in claim 38, wherein said superabsorbent material is preswollen to at least about 70% of its total swelling capacity.
  - 41. (Cancelled)
- 42. (Previously Presented) A process as defined in claim 36, wherein said superabsorbent material is capable of absorbing from about 100 to about 350 grams of an aqueous solution per gram of said superabsorbent material.

Appl. No. 09/643,979 Amdt. Dated September 29, 2003 Reply to Final Office Action of June 30, 2003

- 43. (Previously Presented) A process as defined in claim 36, further comprising the step of applying a wet-strength agent to said paper web.
- 44. (Previously Presented) A process as defined in claim 36, further comprising the step of applying a softening agent to said paper web.
- 45. (Previously Presented) A process as defined in claim 36, wherein said paper web is dried to have a moisture content of less than about 20% by weight of said web.
- 46. (Previously Presented) A process as defined in claim 36, wherein said paper web is dried to have a moisture content of between about 5% to about 15% by weight of said web.
- 47. (Previously Presented) A process as defined in claim 36, wherein said cellulosic fibrous material and said superabsorbent material are combined before or during said paper web formation.
- 48. (Previously Presented) A process as defined in claim 47, wherein said cellulosic fibrous material and said superabsorbent material are combined in a headbox.
- 49. (Previously Presented) A process as defined in claim 36, wherein said superabsorbent material includes clay, silica gel, agar, pectin, guar gum, a hydrogel polymer, or combinations thereof.
- 50. (Previously Presented) A process as defined in claim 36, wherein said superabsorbent material includes particles, fibers, flakes, filaments, spheres, and combinations thereof.
- 51. (Previously Presented) A process as defined in claim 36, wherein said superabsorbent material is a fibrous material.
- 52. (Previously Presented) A process as defined in claim 36, wherein said paper web is dried using a through-air dryer.
  - 53. (Previously Presented) A process comprising:

providing a superabsorbent material that is capable of absorbing at least about 50 grams of an aqueous solution per gram of said superabsorbent material;

forming a paper web from a cellulosic fibrous material and said superabsorbent material, wherein said superabsorbent material comprises from about 0.1% to about 3% by weight of said paper web;

at least partially drying said paper web; and

incorporating said paper web into a tissue product, wherein the tissue product is formed primarily from said paper web and optionally one or more additional paper webs, the tissue product having a basis weight less than about 100 grams per square meter.

- 54. (Previously Presented) A process as defined in claim 53, wherein said superabsorbent material is provided in a dry state.
- 55. (Previously Presented) A process as defined in claim 53, further comprising preswelling said superabsorbent material.
- 56. (Previously Presented) A process as defined in claim 53, wherein said superabsorbent material is capable of absorbing from about 100 to about 350 grams of an aqueous solution per gram of said superabsorbent material.
- 57. (Previously Presented) A process as defined in claim 53, further comprising the step of applying a wet-strength agent to said paper web.
- 58. (Previously Presented) A process as defined in claim 53, wherein said cellulosic fibrous material and said superabsorbent material are combined before or during said paper web formation.
- 59. (Previously Presented) A process as defined in claim 53, wherein said superabsorbent material includes clay, silica gel, agar, pectin, guar gum, a hydrogel polymer, or combinations thereof.
- 60. (Previously Presented) A process as defined in claim 53, wherein said paper web is dried using a through-air dryer.
- 61. (Currently Amended) An absorbent tissue product that is formed primarily from one or more paper webs, wherein at least one paper web of the tissue product comprises a cellulosic fibrous material and from about 0.1% to about [[5]] 3% by weight of a superabsorbent material, said superabsorbent material being capable of absorbing at least about 50 grams of water per gram of said superabsorbent material, wherein the absorbent tissue product has a basis weight less than about 100 grams per square meter.
- 62. (Previously Presented) An absorbent tissue product as defined in claim 61, wherein said superabsorbent material has a moisture content of less than about 50% of the weight of said superabsorbent material.

- 63. (Previously Presented) An absorbent tissue product as defined in claim 61, wherein said superabsorbent material has a moisture content of less than about 25% of the weight of said superabsorbent material.
  - 64. (Cancelled)
- 65. (Previously Presented) An absorbent tissue product as defined in claim 61, wherein said superabsorbent material is capable of absorbing from about 100 to about 350 grams of an aqueous solution per gram of said superabsorbent material.
- 66. (Previously Presented) An absorbent tissue product as defined in claim 61, wherein the absorbent tissue product contains multiple plies, one of which is formed by said paper web.
- 67. (Previously Presented) An absorbent tissue product as defined in claim 61, wherein said paper web is a through-dried web.
- 68. (Previously Presented) An absorbent tissue product as defined in claim 61, wherein said superabsorbent material includes clay, silica gel, agar, pectin, guar gum, a hydrogel polymer, or combinations thereof.
- 69. (Previously Presented) An absorbent tissue product that is formed primarily from one or more paper webs, wherein at least one paper web of the tissue product comprises a cellulosic fibrous material and from about 0.1% to about 3% by weight of a superabsorbent material, said superabsorbent material being capable of absorbing from about 100 to about 350 grams of water per gram of said superabsorbent material, wherein the absorbent tissue product has a basis weight less than about 100 grams per square meter.